



Module 3: Healthy Days (Symptoms)

Module 3.1




During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

(Figure in parenthesis is the sample size for that group)			Days pain resulted in inactivity					Avg. # of days
	##.#		Zero days	1 to 2 days	3 to 7 days	8 to 29 days	Everyday	
Overall (1126)			69.4%	7.6%	7.9%	10.8%	4.3%	3.63
By sex								
Male (462)			71.1%	4.5%	8.8%	11.7%	4.0%	3.65
Female (664)			67.8%	10.6%	7.0%	9.9%	4.7%	3.61
By Race								
White (1055)			65.7%	8.6%	8.8%	12.1%	4.9%	4.08
Other (47)			97.2%	0.8%	1.0%	0.6%	0.5%	0.27
By age								
18-34 years (84)			69.9%	6.4%	4.7%	16.8%	2.2%	4.14
35-54 years (333)			72.1%	9.5%	7.4%	6.1%	4.8%	2.79
55-64 years (247)			62.7%	9.9%	16.3%	6.0%	5.1%	3.12
65-74 years (221)			66.7%	7.3%	10.4%	8.3%	7.2%	3.93
75 or more years (241)			70.7%	2.2%	8.1%	9.7%	9.3%	5.17
By Education								
Less than College (472)			60.4%	5.1%	8.0%	20.2%	6.3%	5.62
Some College (290)			70.6%	4.2%	11.4%	8.7%	5.1%	3.86
College (364)			75.9%	12.9%	4.5%	4.7%	2.0%	1.73
By income levels								
<\$10,000 (32)			24.3%		3.8%	50.9%	21.0%	14.10
\$10,000 to \$14,999 (47)			75.6%	0.1%	8.0%	2.0%	14.2%	5.11
\$15,000 to \$19,999 (69)			91.2%	3.7%	2.0%	1.4%	1.6%	.83
\$20,000 to \$24,999 (111)			67.9%	6.1%	15.4%	3.3%	7.3%	3.49
\$25,000 to \$34,999 (138)			84.6%	1.0%	8.5%	5.1%	0.8%	1.57
\$35,000 to \$49,999 (185)			73.8%	4.6%	11.8%	4.6%	5.2%	2.81
\$50,000 to \$74,999 (207)			56.7%	14.2%	16.5%	9.3%	3.3%	3.04
\$75,000 or more (233)			67.5%	13.8%	3.8%	10.5%	4.4%	3.76

Module 3.1: Healthy Days (Symptoms)

Module 3.2: Healthy Days (Symptoms)



During the past 30 days, for about how many days have you felt sad, blue, or depressed?

(Figure in parenthesis is the sample size for that group)	###  		Days had the blues					Avg. # of days
	###		Zero days	1 to 2 days	3 to 7 days	8 to 29 days	Everyday	
Overall (1126)			56.3%	15.1%	18.9%	8.2%	1.5%	2.59
By sex								
Male (462)			60.4%	7.7%	29.2%	2.2%	0.6%	2.00
Female (664)			52.5%	22.1%	9.2%	13.8%	2.3%	3.13
By Race								
White (1055)			62.2%	15.4%	11.6%	9.2%	1.7%	2.40
Other (47)			12.8%	2.4%	83.2%	1.4%	0.3%	4.43
By age								
18-34 years (84)			45.4%	12.8%	30.0%	11.7%	0.0%	2.87
35-54 years (333)			60.9%	18.0%	11.6%	6.1%	3.4%	2.88
55-64 years (247)			67.4%	14.9%	10.1%	6.5%	1.1%	1.65
65-74 years (221)			62.3%	16.7%	14.0%	5.6%	1.4%	2.21
75 or more years (241)			70.0%	14.2%	9.9%	3.7%	2.2%	1.84
By Education								
Less than College (472)			58.9%	16.4%	9.3%	14.2%	1.3%	2.66
Some College (290)			48.8%	6.1%	38.9%	5.3%	0.9%	2.92
College (364)			60.9%	22.4%	8.5%	6.0%	2.2%	2.23
By income levels								
<\$10,000 (32)			53.2%	13.6%	6.8%	24.0%	2.4%	4.79
\$10,000 to \$14,999 (47)			40.5%	7.5%	21.0%	26.0%	5.0%	7.40
\$15,000 to \$19,999 (69)			9.1%	4.4%	83.8%	1.7%	1.0%	4.77
\$20,000 to \$24,999 (111)			50.2%	30.5%	11.6%	6.3%	1.4%	2.27
\$25,000 to \$34,999 (138)			81.9%	11.6%	2.9%	3.2%	0.4%	0.79
\$35,000 to \$49,999 (185)			56.3%	22.6%	15.1%	5.5%	0.5%	1.93
\$50,000 to \$74,999 (207)			56.5%	8.7%	19.9%	9.3%	5.7%	3.69
\$75,000 or more (233)			64.0%	19.8%	11.8%	3.8%	0.6%	1.65

Module 3.2: Healthy Days (Symptoms)

Module 3.3: Healthy Days (Symptoms)



During the past 30 days, for about how many days have you felt worried, tense, or anxious?

(Figure in parenthesis is the sample size for that group)	##.#  		Days felt worried, tense, or anxious					Avg. # of days
	##.#		Zero days	1 to 2 days	3 to 7 days	8 to 29 days	Everyday	
Overall (1126)			31.7%	26.5%	15.8%	21.5%	4.5%	5.42
By sex								
Male (462)			41.0%	14.0%	15.1%	26.0%	3.9%	5.62
Female (664)			22.8%	38.4%	16.4%	17.3%	5.1%	5.23
By Race								
White (1055)			35.0%	28.6%	16.7%	14.9%	4.8%	4.52
Other (47)			7.4%	1.7%	9.4%	78.3%	3.1%	13.16
By age								
18-34 years (84)			14.6%	32.0%	17.6%	32.9%	2.9%	6.96
35-54 years (333)			37.9%	23.8%	12.3%	17.4%	8.5%	5.50
55-64 years (247)			44.3%	27.8%	15.1%	10.9%	1.9%	3.01
65-74 years (221)			49.4%	17.0%	20.5%	11.4%	1.7%	3.40
75 or more years (241)			56.4%	15.8%	16.5%	6.6%	4.8%	3.31
By Education								
Less than College (472)			38.9%	18.2%	13.7%	26.2%	3.0%	5.19
Some College (290)			31.9%	12.9%	16.6%	33.3%	5.4%	7.28
College (364)			25.3%	46.0%	16.7%	6.9%	5.1%	3.93
By income levels								
<\$10,000 (32)			53.0%	13.6%	7.0%	1.2%	25.2%	8.09
\$10,000 to \$14,999 (47)			19.4%	1.7%	46.9%	19.9%	12.1%	9.40
\$15,000 to \$19,999 (69)			5.6%	4.8%	6.5%	82.5%	0.6%	12.83
\$20,000 to \$24,999 (111)			23.3%	37.6%	23.0%	10.1%	6.0%	5.06
\$25,000 to \$34,999 (138)			16.9%	60.7%	10.6%	9.8%	2.0%	3.58
\$35,000 to \$49,999 (185)			49.1%	26.0%	11.4%	12.4%	1.1%	2.72
\$50,000 to \$74,999 (207)			34.0%	18.6%	23.3%	15.8%	8.3%	5.53
\$75,000 or more (233)			36.3%	23.6%	22.8%	13.3%	4.0%	3.97

Module 3.3: Healthy Days (Symptoms)

Module 3.4: Healthy Days (Symptoms)

During the past 30 days, for about how many days have you felt very healthy and full of energy?

(Figure in parenthesis is the sample size for that group)	###  	Days felt healthy and full of energy					
		Zero days	1 to 2 days	3 to 7 days	8 to 29 days	Everyday	Avg. # of days
Overall (1126)		4.4%	1.9%	9.2%	61.5%	23.1%	20.55
By sex							
Male (462)		4.2%	0.2%	7.6%	57.4%	30.6%	20.59
Female (664)		4.6%	3.5%	10.6%	65.3%	16.0%	20.51
By Race							
White (1055)		4.9%	2.2%	10.3%	57.2%	25.4%	20.92
Other (47)		0.6%	0.0%	0.3%	92.7%	6.4%	16.60
By age							
18-34 years (84)		2.3%	0.3%	14.2%	74.0%	9.1%	18.94
35-54 years (333)		2.8%	3.0%	7.0%	53.2%	34.0%	21.99
55-64 years (247)		4.7%	4.4%	4.2%	59.3%	27.4%	22.14
65-74 years (221)		11.4%	1.8%	1.9%	50.8%	34.0%	21.35
75 or more years (241)		16.0%	1.0%	7.6%	40.9%	34.5%	19.25
By Education							
Less than College (472)		5.9%	1.0%	15.3%	45.4%	32.6%	20.46
Some College (290)		5.5%	0.8%	7.1%	70.0%	16.6%	18.51
College (364)		2.3%	3.7%	6.0%	67.0%	21.1%	22.46
By income levels							
<\$10,000 (32)		28.3%	2.7%	14.2%	5.2%	49.6%	16.20
\$10,000 to \$14,999 (47)		32.7%		16.6%	38.9%	11.9%	12.24
\$15,000 to \$19,999 (69)		3.0%	0.3%	0.5%	93.1%	3.2%	15.35
\$20,000 to \$24,999 (111)		10.0%	2.0%	2.1%	71.8%	14.1%	19.60
\$25,000 to \$34,999 (138)		1.9%	2.6%	3.5%	81.2%	10.9%	24.34
\$35,000 to \$49,999 (185)		2.8%	0.9%	8.2%	53.0%	35.2%	22.65
\$50,000 to \$74,999 (207)		2.5%	7.6%	7.2%	61.1%	21.6%	18.79
\$75,000 or more (233)		1.6%	0.1%	9.3%	56.7%	32.3%	22.96

Module 3.4: Healthy Days (Symptoms)

Module 15: Care Giver

Module 15.1 / 15.2: Caregiver

What age is the person to whom you are giving care?

	Number and Percentage of residents providing LT care to someone	Age of Person Under Care (Average age of the 333 persons under care : 66 years)					
		0-17 years (12)	18-34 years (32)	35-54 years (30)	55-64 years (31)	65-74 years (46)	75 or more years (182)
		Average age : 6 years	Average age : 27 years	Average age : 46 years	Average age : 60 years	Average age : 70 years	Average age : 83 years
Overall (1126)	(328) 22.7%	3.9%	10.4%	14.7%	5.0%	7.7%	58.4%
By sex							
Male (462)	(136) 24.1%	6.0%	18.4%	6.8%	5.3%	7.5%	56.1%
Female (664)	(192) 22.14%	1.7%	2.1%	22.9%	4.6%	7.9%	60.7%
By Race							
White (311)	(311) 25.27%	3.8%	9.6%	15.1%	5.1%	6.0%	60.5%
Others (12)	(12) 7.5%	7.6%	29.5%	2.9%	0.0%	54.2%	5.8%
By age							
18-34 years (84)	(16) 6.8%	19.5%	26.6%	2.6%	0.1%	0.3%	50.9%
35-54 years (333)	(101) 37.60%	1.6%	11.5%	22.5%	3.2%	10.6%	50.5%
55-64 years (247)	(94) 36.8%	2.4%	3.1%	5.5%	9.2%	5.7%	74.1%
65-74 years (221)	(64) 20.6%	0.0%	2.3%	13.9%	11.6%	7.7%	64.5%
75 or more years (241)	(53) 27.11%	3.4%	6.7%	6.7%	5.9%	4.4%	72.8%
By Education							
Less than College (472)	(119) 27.9%	6.1%	6.1%	20.6%	4.5%	7.9%	54.8%
Some College (290)	(97) 23.5%	1.0%	21.7%	3.7%	4.7%	6.7%	62.2%
College (364)	(112) 18.6%	4.4%	3.2%	19.3%	5.9%	8.5%	58.6%
By income levels							
<\$10,000 (32)	(3) 1.5%	14.3%	0.0%	0.0%	0.0%	0.0%	85.7%
\$10,000 to \$14,999 (47)	(13) 15.3%	13.1%	2.8%	5.6%	0.0%	26.2%	52.3%
\$15,000 to \$19,999 (69)	(21) 8.5%	47.7%	6.2%	2.3%	3.5%	9.7%	30.6%
\$20,000 to \$24,999 (111)	(29) 33.0%	1.0%	25.9%	0.2%	7.1%	0.8%	65.1%
\$25,000 to \$34,999 (138)	(44) 24.9%	0.0%	2.9%	41.0%	1.4%	6.8%	48.0%
\$35,000 to \$49,999 (185)	(67) 35.9%	0.8%	1.5%	14.3%	8.4%	2.3%	72.7%
\$50,000 to \$74,999 (207)	(67) 25.5%	8.8%	9.5%	25.0%	9.2%	10.1%	37.4%
\$75,000 or more (233)	(61) 23.9%	1.8%	21.5%	0.1%	2.0%	10.7%	63.8%

Module 15.1 / 15.2: Caregiver

Module 15.3 / 15.4 / 15.5 : Caregiver

Is this person male or female?

What is his/her relationship to you?

How long have you given care to this person?⁴

Demographics of 333 Persons Under Care	Male	36.4%
	Female	63.6%
	Parent	22.5%
	Parent-in-law	12.6%
	Child	12.6%
	Spouse	13.5%
	Sibling	3.4%
	Grand-parent	7.7%
	Grand-child	1.2%
	Relative	5.3%
	Other	21.2%

⁴ Correct data not available

Module 15.3 / 15.4: Caregiver

Module 15.6: Caregiver

What has a doctor said is the major health problem, long-term illness, or disability that the person you care for has?

Reason for Long term Care				
Physical Health condition/Disease	Disability	Learning/Cognition	Developmental Disability	Mental Health
45.7%	4.7%	16.3%	10.2%	23.2%

Person under care has	Percent
Arthritis/Rheumatism (Physical)	7.1%
Asthma (Physical)	0.4%
Cancer (Physical)	4.1%
Diabetes (Physical)	8.7%
Heart Disease (Physical)	18.9%
Hypertension/High Blood Pressure (Physical)	1.4%
Lung Disease/Emphysema (Physical)	0.0%
Osteoporosis (Physical)	0.4%
Parkinson's Disease (Physical)	3.5%
Stroke (Physical)	1.3%
Eye/Vision Problem (blindness) (Disability)	0.9%
Multiple Sclerosis (MS) (Disability)	2.2%
Spinal Cord Injury (Disability)	0.8%
Traumatic Brain Injury (TBI) (Disability)	0.7%
Alzheimer's Disease or Dementia (Learning/Cognition)	16.2%
Learning Disabilities (LD) (Learning/Cognition)	0.0%
Cerebral Palsy (CP) (Developmental Disability)	3.9%
Down's Syndrome (Developmental Disability)	0.1%
Other developmental disability (e.g., spinal bifida, muscular dystrophy, fragile X) (Developmental Disability)	6.2%
Anxiety (Mental Health)	0.5%
Depression (Mental Health)	3.2%
Other (Mental Health)	19.5%

Module 15.6: Caregiver

Module 15.7: Caregiver

In which one of the following areas does the person you care for most need your help?

Needs of persons under care	
Taking care of himself/herself, such as eating, dressing, or bathing	8.3%
Taking care of his/her residence or personal living spaces, such as cleaning, managing money, or preparing meals	27.1%
Communicating with others	0.8%
Learning or remembering	1.8%
Seeing or hearing	0.7%
Moving around within the home	2.5%
Transportation outside of the home	25.3%
Getting along with people	0.0%
Relieving/decreasing anxiety or depression	18.2%
Something else	15.3%

Module 15.7: Caregiver

Module 15.8: Caregiver

In an average week, how many hours do you provide care for this person because of his/her health problem, long-term illness, or disability?

Caregiver	Up to 10 hours a week	10 to 20 hours a week	20 to 40 hours a week	40 to 60 hours a week	60 to 80 hours a week	80 to 100 hours a week	100 to 120 hours a week	Almost 24/7 a week
Overall (328)	69.9%	11.7%	5.7%	4.2%	2.7%	0.6%	0.8%	4.3%
By sex								
Male (136)	75.6%	11.8%	5.0%	6.4%		0.1%		1.1%
Female (192)	64.6%	11.6%	6.3%	2.3%	5.2%	1.0%	1.5%	7.4%
By Race								
White (311)	71.0%	10.5%	5.6%	4.3%	2.8%	0.6%	0.8%	4.5%
Others (12)	39.5%	59.9%	0.6%					
By age								
18-34 years (16)	48.3%	27.0%	4.7%	13.9%	2.6%	3.4%		
35-54 years (101)	72.8%	10.6%	5.4%	0.2%	3.2%	0.0%		7.8%
55-64 years (94)	79.0%	4.6%	4.1%	3.7%	3.6%	0.1%	3.5%	1.4%
65-74 years (64)	65.5%	21.4%	2.5%	9.6%		1.1%		
75 or more years (53)	64.7%	3.0%	18.5%	10.7%		0.2%		2.8%
By Education								
Less than College (119)	60.4%	24.1%	5.9%	6.4%		0.4%	2.3%	0.6%
Some College (97)	81.3%	8.6%	4.5%	4.0%	1.0%	0.6%		
College (112)	67.1%	1.0%	6.8%	2.1%	8.1%	0.8%		14.2%
By income levels								
<\$10,000 (3)		14.3%	85.7%					
\$10,000 to \$14,999 (13)	91.6%	0.9%	1.9%	5.6%				
\$15,000 to \$19,999 (21)	28.4%	0.4%	20.7%	44.2%		6.3%		
\$20,000 to \$24,999 (29)	57.5%	30.8%	2.3%				9.3%	
\$25,000 to \$34,999 (44)	56.5%	31.7%	2.7%	0.5%	8.0%	0.5%		0.1%
\$35,000 to \$49,999 (67)	78.2%	4.1%	8.8%	6.4%	1.5%	0.9%		
\$50,000 to \$74,999 (67)	52.5%	11.1%	6.7%		5.3%			24.3%
\$75,000 or more (61)	96.2%	0.2%	2.3%		0.1%			1.3%

Module 15.8 : Caregiver

Module 15.9: Caregiver

(What is) the greatest difficulty you have faced as a caregiver?

	Creates a financial burden	Doesn't leave enough time for yourself	Doesn't leave enough time for your family	Interferes with your work	Creates stress	Creates or aggravates health problems	Affects family relationships	Other difficulty	No Difficulty
Overall (328)	15.30%	9.30%	3.70%	1.10%	8.90%	0.70%	14.90%	5.90%	40.10%
By sex									
Male (136)	17.10%	7.20%	4.40%	1.90%	6.80%		17.10%	5.90%	39.70%
Female (192)	13.50%	11.30%	3.00%	0.20%	11.00%	1.40%	12.90%	6.00%	40.60%
By Race									
White (311)	16.00%	9.40%	3.90%	1.10%	9.30%	0.80%	15.50%	6.20%	37.90%
Others (12)		7.60%			1.40%			0.40%	90.60%
By age									
18-34 years (16)	13.40%	19.60%	0.20%		8.10%				58.80%
35-54 years (101)	25.20%	4.00%	4.30%	1.90%	4.90%		21.30%	1.40%	37.10%
55-64 years (94)	3.50%	16.90%	2.70%	0.10%	14.30%		17.10%	17.00%	28.40%
65-74 years (64)	2.90%	12.20%	11.90%	1.30%	12.10%	6.00%	2.30%	7.20%	44.00%
75 or more years (53)	0.20%	2.40%			17.90%	3.30%	3.50%	11.50%	61.10%
By Education									
Less than College (119)	10.60%	15.80%	2.10%	1.50%	7.40%	1.30%	10.50%	2.90%	47.80%
Some College (97)	16.60%	5.70%	2.50%	0.10%	8.00%	0.50%	24.40%	10.40%	31.80%
College (112)	19.70%	5.30%	7.30%	1.60%	11.90%	0.30%	9.50%	4.50%	40.10%
By income levels									
<\$10,000 (3)	13.60%				81.80%				4.50%
\$10,000 to \$14,999 (13)					7.30%		5.50%	17.30%	70.00%
\$15,000 to \$19,999 (21)	42.60%	5.00%			29.70%			3.30%	19.50%
\$20,000 to \$24,999 (29)	19.90%	52.50%			14.80%	1.00%	3.20%	0.30%	8.30%
\$25,000 to \$34,999 (44)	8.80%	3.30%	2.00%	0.40%	3.70%	3.60%	20.50%	5.40%	52.20%
\$35,000 to \$49,999 (67)	2.10%	7.60%	3.60%	0.10%	11.50%		35.00%	9.50%	30.70%
\$50,000 to \$74,999 (67)	27.90%	7.50%	3.30%	0.30%	11.30%		11.60%	8.70%	29.50%
\$75,000 or more (61)	21.50%	5.30%	8.10%	3.50%	3.70%		5.80%	3.90%	48.30%

Module 15.9: Caregiver

Module 15.10: Caregiver

During the past year, has the person you care for experienced changes in thinking or remembering?



Among persons receiving care	Changes in thinking/remembering	
	Yes	No
Overall (323)	53.6%	46.4%
By sex		
Male (110)	45.9%	54.1%
Female (213)	57.7%	42.3%
By age		
0-17 years (12)	46.1%	53.9%
18-34 years (20)	29.7%	70.3%
35-54 years (29)	29.4%	70.6%
55-64 years (31)	39.0%	61.0%
65-74 years (46)	50.5%	49.5%
75 or more years (179)	66.8%	33.2%

Module 15.10: Caregiver

Module 16: Reactions to Race

Module 16.3: Reactions to Race



Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

(Figure in parenthesis is the sample size for that group)	How treated at work				
	### 	Worse than other races	The same as other races	Better than other races	Only encountered people of the same race
			92.3%	2.7%	2.7%
By sex					
Male (286)		3.8%	87.5%	4.5%	4.2%
Female (336)		0.5%	97.6%	0.8%	1.1%
By Race					
White (582)		2.2%	91.5%	3.1%	3.2%
Other (33)		2.0%	97.5%	0.6%	0.0%
By age					
18-34 years (68)		3.1%	93.8%	1.2%	1.9%
35-54 years (289)		2.0%	92.5%	1.9%	3.6%
55-64 years (181)		0.2%	88.1%	8.8%	2.8%
65-74 years (63)		0.8%	91.3%	3.7%	4.1%
75 or more years (21)			76.8%	18.1%	5.1%
By Education					
Less than College (195)		1.6%	87.7%	8.2%	2.5%
Some College (172)		4.3%	95.0%	0.5%	0.2%
College (255)		0.6%	92.3%	1.8%	5.2%
By income levels					
<\$10,000 (6)			100.0%		
\$10,000 to \$14,999 (10)		21.7%	78.3%		
\$15,000 to \$19,999 (25)		1.4%	94.6%	4.0%	
\$20,000 to \$24,999 (34)		4.3%	92.7%	3.0%	
\$25,000 to \$34,999 (60)		7.9%	86.7%	0.1%	5.3%
\$35,000 to \$49,999 (109)		0.2%	97.7%	1.5%	0.6%
\$50,000 to \$74,999 (155)		1.2%	85.4%	9.9%	3.5%
\$75,000 or more (189)		0.7%	94.3%	1.3%	3.8%

Module 16.3: Reactions to Race

Module 16.4: Reactions to Race

Within the past 12 months, when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?



(Figure in parenthesis is the sample size for that group)	How treated when seeking healthcare							
	##.#		Worse than other races	The same as other races	Better than other races	Worse than some races, better than others	Only encountered people of the same race	No health care in past 12 months
								
Overall (1019)			6.0%	82.6%	8.0%	0.2%	0.5%	2.7%
By sex								
Male (414)			3.8%	84.3%	6.4%	0.0%	0.6%	4.9%
Female (605)			8.2%	80.9%	9.6%	0.4%	0.4%	0.6%
By Race								
White (959)			6.9%	80.2%	9.0%	0.2%	0.5%	3.1%
Other (50)			0.6%	98.4%	1.0%			0.0%
By age								
18-34 years (83)			8.8%	85.1%	0.7%	0.1%		5.3%
35-54 years (316)			3.4%	87.7%	6.5%	0.5%	0.5%	1.4%
55-64 years (228)			9.1%	77.7%	11.2%	0.0%	2.1%	0.0%
65-74 years (198)			0.5%	75.4%	23.4%		0.4%	0.3%
75 or more years (194)				55.0%	44.7%	0.1%		0.2%
By Education								
Less than College (413)			16.3%	67.1%	8.6%	0.0%	0.0%	7.9%
Some College (263)			0.5%	93.8%	5.1%	0.1%	0.5%	0.0%
College (343)			3.0%	84.5%	10.1%	0.5%	0.8%	1.1%
By income levels								
<\$10,000 (28)			0.2%	46.9%	4.5%			48.3%
\$10,000 to \$14,999 (40)				81.7%	14.5%	1.4%		2.4%
\$15,000 to \$19,999 (60)			3.7%	92.4%	3.5%	0.5%		
\$20,000 to \$24,999 (34)			14.0%	74.8%	11.0%		0.2%	
\$25,000 to \$34,999 (99)			0.1%	90.4%	9.4%			
\$35,000 to \$49,999 (124)			0.8%	89.8%	7.1%		2.1%	0.1%
\$50,000 to \$74,999 (173)			13.0%	75.8%	10.8%	0.0%	0.1%	0.2%
\$75,000 or more (195)			0.7%	89.1%	7.6%	0.5%	0.6%	1.5%

Module 16.4: Reactions to Race

Module 16.5 & 16.6: Reactions to Race

Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?



(Figure in parenthesis is the sample size for that group)	##.#  		As a result of how treated because of race	
			Physical Symptoms	Emotionally upset
Overall (1019)			0.5%	2.0%
By sex				
Male (414)			0.8%	3.5%
Female (605)			0.2%	0.5%
By Race				
White (959)			0.4%	2.0%
Other (50)			1.6%	2.1%
By age				
18-34 years (83)				2.9%
35-54 years (316)			0.6%	1.7%
55-64 years (228)			1.6%	1.7%
65-74 years (198)			2.4%	0.4%
75 or more years (194)				
By Education				
Less than College (413)			0.7%	0.6%
Some College (263)			0.5%	3.8%
College (343)			0.4%	1.5%
By income levels				
<\$10,000 (28)				0.7%
\$10,000 to \$14,999 (40)			2.8%	2.8%
\$15,000 to \$19,999 (60)			0.1%	0.9%
\$20,000 to \$24,999 (34)			0.3%	0.2%
\$25,000 to \$34,999 (99)			0.8%	7.2%
\$35,000 to \$49,999 (124)				0.4%
\$50,000 to \$74,999 (173)			0.7%	3.3%
\$75,000 or more (195)			0.3%	0.2%

Module 16.5 & 16.6: Reactions to Race

Module 17: Anxiety and Depression

Module 17.1: Anxiety and Depression


Over the last 2 weeks, how many days have you had little interest or pleasure in doing things?

(Figure in parenthesis is the sample size for that group)	##.##		Days little pleasure doing things				
			Zero days	1 to 2 days	3 to 7 days	8 to 14 days	Avg. # of Days
Overall (1126)			57.1%	13.4%	18.3%	7.1%	5.0
By sex							
Male (462)			46.0%	16.7%	25.7%	4.3%	4.8
Female (664)			67.5%	10.3%	11.3%	9.7%	5.4
By Race							
White (1055)			63.4%	13.7%	11.2%	7.9%	4.8
Other (47)			12.7%	0.7%	78.9%	1.2%	6.0
By age							
18-34 years (84)			46.7%	10.5%	30.8%	6.7%	5.4
35-54 years (333)			58.9%	20.9%	11.7%	7.7%	4.0
55-64 years (247)			70.4%	13.0%	8.7%	6.7%	5.4
65-74 years (221)			67.8%	5.4%	11.8%	6.9%	6.2
75 or more years (241)			68.9%	7.1%	3.3%	7.1%	6.6
By Education							
Less than College (472)			52.9%	9.3%	11.4%	15.1%	6.5
Some College (290)			41.9%	20.1%	35.1%	1.7%	4.3
College (364)			74.4%	10.9%	8.9%	5.0%	4.7
By income levels							
<\$10,000 (32)			9.1%	17.5%	21.4%	4.6%	4.1
\$10,000 to \$14,999 (47)			14.9%	8.8%	13.8%	6.8%	6.7
\$15,000 to \$19,999 (69)			9.9%	3.1%	82.9%	3.8%	5.9
\$20,000 to \$24,999 (111)			49.1%	19.8%	15.4%	11.1%	5.4
\$25,000 to \$34,999 (138)			85.8%	9.4%	1.3%	3.6%	4.5
\$35,000 to \$49,999 (185)			61.6%	17.6%	15.2%	4.5%	4.0
\$50,000 to \$74,999 (207)			56.7%	12.9%	21.9%	7.8%	4.9
\$75,000 or more (233)			71.5%	18.7%	7.1%	2.3%	3.0

Module 17: Anxiety and Depression



Module 17.2: Anxiety and Depression

Over the last 2 weeks, how many days have you felt down, depressed or hopeless?

(Figure in parenthesis is the sample size for that group)	##.##		Days felt down, depressed or hopeless				Avg. # of Days
			Zero days	1 to 2 days	3 to 7 days	8 to 14 days	
Overall (1126)			69.0%	19.7%	6.8%	3.6%	3.7
By sex							
Male (462)			67.1%	27.5%	1.6%	2.3%	2.8
Female (664)			70.8%	12.4%	11.7%	4.9%	4.6
By Race							
White (1055)			76.8%	11.4%	7.6%	4.1%	4.6
Other (47)			14.3%	77.6%	1.0%	0.7%	2.1
By age							
18-34 years (84)			58.9%	30.7%	8.2%	2.2%	3.1
35-54 years (333)			74.5%	13.0%	6.3%	6.0%	4.8
55-64 years (247)			78.1%	14.9%	4.2%	2.6%	3.5
65-74 years (221)			73.1%	8.9%	8.8%	1.2%	3.8
75 or more years (241)			79.4%	10.6%	3.2%	6.4%	5.4
By Education							
Less than College (472)			64.6%	14.6%	15.7%	2.8%	3.9
Some College (290)			61.2%	32.7%	2.0%	4.1%	3.3
College (364)			79.9%	12.4%	3.5%	3.9%	4.2
By income levels							
<\$10,000 (32)			53.2%	17.7%	3.1%	26.0%	7.9
\$10,000 to \$14,999 (47)			23.5%	14.8%	13.9%	13.4%	7.3
\$15,000 to \$19,999 (69)			15.8%	81.3%	1.8%	1.2%	2.2
\$20,000 to \$24,999 (111)			56.7%	32.9%	5.8%	4.6%	3.0
\$25,000 to \$34,999 (138)			87.9%	7.2%	4.5%	0.5%	3.2
\$35,000 to \$49,999 (185)			78.2%	11.6%	9.8%	0.3%	2.7
\$50,000 to \$74,999 (207)			70.4%	20.6%	1.9%	7.0%	4.3
\$75,000 or more (233)			85.8%	9.0%	2.4%	2.8%	4.2



Module 17.3: Anxiety and Depression

Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?

(Figure in parenthesis is the sample size for that group)	##.#		Days had trouble with sleep				
			Zero days	1 to 2 days	3 to 7 days	8 to 14 days	Avg. # of Days
Overall (1126)			54.7%	16.8%	14.4%	13.1%	5.7
By sex							
Male (462)			60.9%	15.1%	12.4%	9.7%	5.1
Female (664)			48.8%	18.4%	16.3%	16.3%	6.1
By Race							
White (1055)			51.6%	17.3%	16.2%	14.5%	5.8
Other (47)			85.7%	3.3%	1.2%	3.4%	7.0
By age							
18-34 years (84)			60.1%	17.5%	12.0%	10.5%	5.4
35-54 years (333)			54.4%	14.5%	12.8%	18.3%	6.5
55-64 years (247)			50.0%	18.6%	17.4%	13.8%	5.5
65-74 years (221)			37.3%	21.9%	23.6%	9.1%	4.7
75 or more years (241)			56.7%	12.7%	17.9%	8.1%	5.2
By Education							
Less than College (472)			47.6%	14.7%	14.6%	19.9%	6.6
Some College (290)			59.9%	13.6%	19.5%	6.9%	5.0
College (364)			56.0%	21.4%	9.5%	13.0%	5.3
By income levels							
<\$10,000 (32)			53.7%	2.7%	35.4%	8.1%	6.0
\$10,000 to \$14,999 (47)			25.5%	9.2%	14.3%	5.2%	4.6
\$15,000 to \$19,999 (69)			91.4%	2.4%	3.5%	2.7%	6.3
\$20,000 to \$24,999 (111)			44.3%	20.3%	18.5%	16.5%	5.9
\$25,000 to \$34,999 (138)			70.9%	10.8%	7.1%	11.2%	7.1
\$35,000 to \$49,999 (185)			58.7%	12.3%	18.2%	10.8%	5.5
\$50,000 to \$74,999 (207)			44.4%	15.7%	19.6%	20.4%	6.4
\$75,000 or more (233)			47.5%	29.0%	15.2%	8.3%	3.8


Module 17.4: Anxiety and Depression

Over the last 2 weeks, how many days have you felt tired or had little energy?

(Figure in parenthesis is the sample size for that group)	###		Days felt tired or had little energy				Avg. # of Days
			Zero days	1 to 2 days	3 to 7 days	8 to 14 days	
Overall (1126)			26.6%	30.8%	19.2%	23.0%	5.7
By sex							
Male (462)			31.6%	22.3%	21.3%	24.8%	6.0
Female (664)			21.9%	38.8%	17.1%	21.2%	5.4
By Race							
White (1055)			29.3%	33.3%	21.0%	15.8%	5.1
Other (47)			7.2%	1.9%	6.5%	84.4%	9.8
By age							
18-34 years (84)			9.9%	37.8%	18.6%	33.8%	6.1
35-54 years (333)			36.1%	24.4%	20.5%	18.9%	5.4
55-64 years (247)			42.9%	29.9%	16.7%	10.1%	4.3
65-74 years (221)			29.5%	32.4%	20.6%	16.2%	5.6
75 or more years (241)			44.3%	18.9%	18.9%	12.9%	5.7
By Education							
Less than College (472)			39.0%	20.0%	16.7%	23.8%	6.5
Some College (290)			13.7%	23.5%	26.1%	35.9%	6.7
College (364)			27.7%	46.6%	15.0%	10.5%	4.0
By income levels							
<\$10,000 (32)			51.4%	14.4%	3.6%	30.6%	9.4
\$10,000 to \$14,999 (47)			21.7%	8.2%	20.2%	40.3%	9.9
\$15,000 to \$19,999 (69)			2.7%	8.8%	3.6%	84.6%	9.2
\$20,000 to \$24,999 (111)			35.2%	20.8%	29.5%	13.7%	5.5
\$25,000 to \$34,999 (138)			9.8%	61.2%	10.3%	18.0%	4.5
\$35,000 to \$49,999 (185)			41.6%	20.9%	27.2%	10.2%	4.7
\$50,000 to \$74,999 (207)			28.5%	24.2%	31.8%	15.2%	5.4
\$75,000 or more (233)			33.6%	38.2%	21.7%	6.5%	3.8



Module 17.5: Anxiety and Depression

Over the last 2 weeks, how many days have you had a poor appetite or eaten too much?

(Figure in parenthesis is the sample size for that group)	###		Days had too much or too little appetite				Avg. # of Days
			Zero days	1 to 2 days	3 to 7 days	8 to 14 days	
Overall (1126)			61.5%	12.5%	15.1%	10.2%	5.5
By sex							
Male (462)			64.9%	14.0%	16.6%	4.0%	4.2
Female (664)			58.2%	11.1%	13.8%	16.1%	6.5
By Race							
White (1055)			58.2%	13.8%	15.8%	11.4%	5.5
Other (47)			84.6%	3.3%	10.6%	1.5%	4.4
By age							
18-34 years (84)			64.5%	11.8%	14.7%	9.1%	5.0
35-54 years (333)			58.8%	11.2%	14.1%	15.2%	6.6
55-64 years (247)			57.8%	16.9%	19.8%	5.5%	4.4
65-74 years (221)			64.3%	12.1%	17.4%	5.9%	4.9
75 or more years (241)			59.9%	14.3%	10.1%	8.6%	5.1
By Education							
Less than College (472)			47.8%	16.5%	18.3%	16.0%	5.9
Some College (290)			65.6%	11.9%	14.5%	7.2%	5.0
College (364)			69.4%	9.6%	13.0%	8.0%	5.3
By income levels							
<\$10,000 (32)			53.1%	17.5%	4.2%	24.3%	6.5
\$10,000 to \$14,999 (47)			29.4%	7.7%	39.1%	7.2%	4.5
\$15,000 to \$19,999 (69)			84.5%	3.6%	8.7%	3.2%	4.8
\$20,000 to \$24,999 (111)			40.6%	25.9%	26.1%	7.1%	4.8
\$25,000 to \$34,999 (138)			75.8%	9.9%	6.7%	7.6%	6.3
\$35,000 to \$49,999 (185)			64.8%	17.7%	13.7%	3.5%	4.4
\$50,000 to \$74,999 (207)			44.2%	17.6%	27.5%	9.6%	4.3
\$75,000 or more (233)			63.9%	11.3%	16.9%	8.0%	5.4



Module 17.6: Anxiety and Depression

Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself or your family down?

(Figure in parenthesis is the sample size for that group)	##.#		Days felt bad about self or felt as a failure or felt had let yourself or your family down				
			Zero days	1 to 2 days	3 to 7 days	8 to 14 days	Avg. # of Days
Overall (1126)			74.1%	7.2%	15.2%	3.0%	4.9
By sex							
Male (462)			72.5%	5.8%	19.8%	1.7%	4.8
Female (664)			75.7%	8.5%	10.9%	4.1%	5.0
By Race							
White (1055)			80.4%	8.1%	7.7%	3.3%	4.8
Other (47)			21.3%	0.4%	77.8%	0.4%	5.0
By age							
18-34 years (84)			66.5%	1.2%	30.1%	2.2%	5.5
35-54 years (333)			79.0%	10.8%	4.9%	5.0%	4.8
55-64 years (247)			71.9%	20.5%	5.2%	2.1%	2.9
65-74 years (221)			82.0%	5.2%	9.7%	0.1%	3.3
75 or more years (241)			90.8%	1.3%	3.0%	3.0%	8.2
By Education							
Less than College (472)			72.0%	10.8%	15.4%	1.3%	3.9
Some College (290)			63.3%	4.5%	28.1%	3.5%	5.3
College (364)			85.8%	6.6%	3.4%	3.9%	5.4
By income levels							
<\$10,000 (32)			67.4%	2.0%	5.9%	24.4%	11.4
\$10,000 to \$14,999 (47)			70.1%	7.5%	13.9%	1.9%	4.4
\$15,000 to \$19,999 (69)			13.1%	4.4%	81.3%	1.2%	4.9
\$20,000 to \$24,999 (111)			68.3%	9.9%	15.8%	4.1%	5.6
\$25,000 to \$34,999 (138)			92.4%	1.5%	5.2%	0.0%	4.2
\$35,000 to \$49,999 (185)			78.8%	15.8%	4.6%	0.7%	2.4
\$50,000 to \$74,999 (207)			75.0%	13.8%	4.5%	6.6%	4.7
\$75,000 or more (233)			91.0%	5.3%	1.7%	1.9%	4.5







Module 17.7: Anxiety and Depression

Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the newspaper or watching the TV?

(Figure in parenthesis is the sample size for that group)	###		Days had trouble concentrating on things, such as reading the newspaper or watching the TV				
			Zero days	1 to 2 days	3 to 7 days	8 to 14 days	Avg. # of Days
Overall (1126)			88.4%	3.3%	5.9%	2.3%	5.5
By sex							
Male (462)			92.5%	4.4%	1.3%	1.8%	4.9
Female (664)			84.5%	2.3%	10.3%	2.8%	5.7
By Race							
White (1055)			87.3%	3.6%	6.5%	2.6%	5.5
Other (47)			95.4%	2.1%	1.8%	0.6%	4.5
By age							
18-34 years (84)			88.7%	1.4%	9.9%	0.0%	4.9
35-54 years (333)			83.0%	7.5%	3.1%	6.4%	5.9
55-64 years (247)			94.2%	1.9%	2.0%	1.6%	6.2
65-74 years (221)			96.1%	0.7%	2.6%	0.5%	5.5
75 or more years (241)			89.6%	2.0%	7.7%	0.7%	4.8
By Education							
Less than College (472)			82.1%	4.9%	11.8%	1.3%	4.6
Some College (290)			91.5%	2.6%	4.6%	1.3%	5.6
College (364)			90.8%	2.7%	2.2%	4.2%	6.8
By income levels							
<\$10,000 (32)			69.7%	0.0%	28.7%	1.5%	6.5
\$10,000 to \$14,999 (47)			75.1%	5.8%	17.1%	1.9%	4.3
\$15,000 to \$19,999 (69)			94.9%	3.1%	0.5%	1.2%	4.3
\$20,000 to \$24,999 (111)			89.2%	6.4%	2.5%	1.9%	4.2
\$25,000 to \$34,999 (138)			96.3%	1.1%	2.3%	0.3%	4.5
\$35,000 to \$49,999 (185)			92.4%	4.8%	1.9%	0.9%	3.5
\$50,000 to \$74,999 (207)			83.1%	9.6%	1.5%	5.7%	4.8
\$75,000 or more (233)			94.6%	0.4%	1.2%	3.8%	10.1

Module 17.8: Anxiety and Depression



Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?

(Figure in parenthesis is the sample size for that group)	<table border="1"> <tr> <td>##.#</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	##.#				Days slow, fidgety, or restless				
		##.#								
										
		Zero days	1 to 2 days	3 to 7 days	8 to 14 days	Avg. # of Days				
Overall (1126)		91.1%	2.2%	4.4%	1.5%	5.4				
By sex										
Male (462)		93.8%	2.6%	1.9%	0.8%	4.9				
Female (664)		88.5%	1.8%	6.6%	2.3%	5.7				
By Race										
White (1055)		90.3%	2.5%	4.9%	1.6%	5.3				
Other (47)		96.5%	0.1%	0.9%	0.8%	8.4				
By age										
18-34 years (84)		90.8%	2.5%	6.6%	0.1%	4.2				
35-54 years (333)		90.5%	1.6%	4.2%	3.1%	6.3				
55-64 years (247)		94.8%	2.2%	0.6%	2.3%	7.4				
65-74 years (221)		92.1%	3.5%	1.5%	1.3%	5.6				
75 or more years (241)		86.4%	1.1%	2.9%	1.7%	6.6				
By Education										
Less than College (472)		85.5%	1.4%	9.9%	0.9%	5.4				
Some College (290)		94.3%	4.2%	0.9%	0.2%	2.7				
College (364)		92.9%	1.0%	2.7%	3.3%	7.4				
By income levels										
<\$10,000 (32)		92.4%	3.4%	3.1%	0.5%	4.5				
\$10,000 to \$14,999 (47)		80.5%		1.9%	1.0%	8.4				
\$15,000 to \$19,999 (69)		97.4%	1.3%	0.8%	0.6%	5.2				
\$20,000 to \$24,999 (111)		96.0%	0.3%	0.4%	0.9%	7.9				
\$25,000 to \$34,999 (138)		95.2%	1.8%	2.3%	0.1%	3.5				
\$35,000 to \$49,999 (185)		96.5%	0.6%	1.0%	1.7%	8.6				
\$50,000 to \$74,999 (207)		84.4%	7.4%	0.9%	7.3%	6.2				
\$75,000 or more (233)		95.6%	1.3%	2.8%	0.3%	4.8				

Module 17.9 & 17.10: Anxiety and Depression

Has a doctor or other healthcare provider EVER told you that you have an anxiety disorder (including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder)?

Has a doctor or other healthcare provider EVER told you that you have a depressive disorder (including depression, major depression, dysthymia, or minor depression)?

(Figure in parenthesis is the sample size for that group)			Have an Anxiety Disorder	Have an Depressive Disorder
	##.##	 		
				14.1%
By sex				
Male (462)			7.5%	11.0%
Female (664)			14.0%	17.1%
By Race				
White (1055)			12.1%	15.7%
Other (47)			1.4%	1.8%
By age				
18-34 years (84)			3.1%	12.1%
35-54 years (333)			21.6%	16.5%
55-64 years (247)			9.5%	17.7%
65-74 years (221)			14.0%	14.3%
75 or more years (241)			5.2%	6.9%
By Education				
Less than College (472)			16.9%	16.2%
Some College (290)			6.0%	13.7%
College (364)			10.1%	12.7%
By income levels				
<\$10,000 (32)			27.0%	75.0%
\$10,000 to \$14,999 (47)			23.1%	23.4%
\$15,000 to \$19,999 (69)			3.4%	5.4%
\$20,000 to \$24,999 (111)			18.0%	13.4%
\$25,000 to \$34,999 (138)			5.1%	11.8%
\$35,000 to \$49,999 (185)			13.3%	14.6%
\$50,000 to \$74,999 (207)			15.0%	20.0%
\$75,000 or more (233)			10.2%	5.1%

Module 18: Cognitive Impairment

Module 18.1: Cognitive Impairment

During the past 12 months, have you experienced confusion or memory loss that is happening more often or is getting worse?

(Figure in parenthesis is the sample size for that group)	###	☹️	Experienced Confusion
		😊	
Overall (1126)			10.1%
By sex			
Male (462)			10.3%
Female (664)			9.9%
By Race			
White (1055)			10.9%
Other (47)			4.0%
By age			
18-34 years (84)			8.3%
35-54 years (333)			9.2%
55-64 years (247)			14.9%
65-74 years (221)			14.6%
75 or more years (241)			9.4%
By Education			
Less than College (472)			16.0%
Some College (290)			7.4%
College (364)			7.5%
By income levels			
<\$10,000 (32)			74.2%
\$10,000 to \$14,999 (47)			15.3%
\$15,000 to \$19,999 (69)			6.3%
\$20,000 to \$24,999 (111)			11.7%
\$25,000 to \$34,999 (138)			2.5%
\$35,000 to \$49,999 (185)			9.8%
\$50,000 to \$74,999 (207)			7.5%
\$75,000 or more (233)			6.5%

Module 18.2: Cognitive Impairment

Not including self, adults 18 or older in household experienced confusion or memory loss that is happening more often or is getting worse during the past 12 months?

(Figure in parenthesis is the sample size for that group)	##.#	☹️	Residents with other Family Member(s) in Household confused [among 779]
		😊	
Overall (779)			15.9%
By sex			
Male (358)			22.9%
Female (421)			8.5%
By Race			
White (730)			6.7%
Other (42)			82.0%
By age			
18-34 years (78)			24.3%
35-54 years (288)			7.1%
55-64 years (194)			10.1%
65-74 years (135)			18.0%
75 or more years (84)			11.7%
By Education			
Less than College (301)			8.4%
Some College (199)			34.6%
College (279)			6.2%
By income levels			
<\$10,000 (7)			4.1%
\$10,000 to \$14,999 (11)			16.1%
\$15,000 to \$19,999 (31)			87.5%
\$20,000 to \$24,999 (53)			25.0%
\$25,000 to \$34,999 (82)			3.2%
\$35,000 to \$49,999 (142)			7.2%
\$50,000 to \$74,999 (173)			4.3%
\$75,000 or more (220)			5.0%







Module 18.3: Cognitive Impairment

Of these people, please select the person who had the most recent birthday. How old is this person?

Demographics of confused family members in the Household [Among 51]							
Age 18-29	Age 30-39	Age 40-49	Age 50-59	Age 60-69	Age 70-79	Age 80-89	Age 90+
77.8%	0.2%	4.1%	1.9%	1.1%	8.3%	5.2%	1.4%

Module 18.4: Cognitive Impairment

During the past 12 months, how often have you, or has this person, given up household activities or chores because of confusion or memory loss that is happening more often or is getting worse?

(Figure in parenthesis is the sample size for that group)	<table border="1"> <tr> <td>##.#</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>	##.#				Frequency of confusion or memory loss [among 169]				
		##.#								
										
		Always	Usually	Sometimes	Rarely	Never				
Overall (169)		1.4%	2.7%	13.0%	49.7%	33.2%				
By sex										
Male (75)		1.8%	1.1%	3.1%	61.1%	33.0%				
Female (94)		0.7%	6.0%	34.3%	25.3%	33.6%				
By Race										
White (154)		2.6%	4.7%	20.3%	16.9%	55.6%				
Other (12)				3.4%	93.4%	3.2%				
By age										
18-34 years (14)			2.4%	8.0%	70.5%	19.1%				
35-54 years (36)		0.9%	0.0%	20.2%	41.8%	37.1%				
55-64 years (32)		2.0%	0.0%	14.2%	2.2%	81.6%				
65-74 years (45)		3.0%	7.9%	24.3%	10.8%	54.0%				
75 or more years (39)		18.4%	12.8%	21.0%	13.1%	34.8%				
By Education										
Less than College (78)		1.7%	4.3%	19.2%	11.6%	63.1%				
Some College (41)		0.2%	2.6%	11.1%	74.7%	11.5%				
College (50)		5.2%	0.0%	8.1%	35.1%	51.5%				
By income levels										
<\$10,000 (9)		0.7%	3.4%	27.8%	4.5%	63.7%				
\$10,000 to \$14,999 (6)				68.8%	5.4%	25.9%				
\$15,000 to \$19,999 (18)		0.4%		1.6%	92.0%	6.0%				
\$20,000 to \$24,999 (23)			22.1%	45.3%	10.6%	22.1%				
\$25,000 to \$34,999 (18)		15.3%	0.5%	7.1%	61.2%	15.8%				
\$35,000 to \$49,999 (28)			7.0%	14.7%	6.1%	72.3%				
\$50,000 to \$74,999 (24)				9.6%	63.0%	27.4%				
\$75,000 or more (23)				10.3%	4.4%	85.3%				

Module 18.5: Cognitive Impairment

As a result your or this person's confusion or memory loss, in which of the following four areas is assistance MOST needed?

	Safety such as forgetting to turn off the stove or falling	Transportation such as getting to doctor's appointments	Household activities such as managing money or housekeeping	Personal care such as eating or bathing	Needs assistance, but not in those areas	Doesn't need assistance in any area
Overall (167)	1.5%	5.1%	16.5%	48.3%	0.2%	28.4%
By sex						
Male (74)	0.4%	4.9%	3.3%	67.0%	0.1%	24.3%
Female (93)	3.9%	5.6%	45.6%	7.1%	0.3%	37.6%
By Race						
White (138)	2.3%	6.2%	28.3%	14.5%	0.3%	48.3%
Other (12)	0.5%	2.3%	1.1%	93.8%	0.0%	2.3%
By age						
18-34 years (14)	0.0%	0.1%	10.8%	69.9%	0.0%	19.2%
35-54 years (32)	4.7%	20.2%	25.1%	6.6%	0.0%	43.4%
55-64 years (32)	5.0%	2.9%	17.2%	49.5%	0.1%	25.3%
65-74 years (45)	1.1%	7.0%	27.2%	5.5%	1.1%	58.0%
75 or more years (38)	0.0%	7.2%	32.5%	22.6%	2.1%	35.6%
By Education						
Less than College (79)	1.1%	11.4%	19.2%	18.1%	0.3%	50.0%
Some College (40)	1.2%	2.6%	12.0%	75.7%	0.2%	8.4%
College (48)	3.3%	1.8%	26.8%	11.6%	0.0%	56.5%
By income levels						
<\$10,000 (9)	0.0%	1.0%	35.1%	0.0%	0.0%	63.9%
\$10,000 to \$14,999 (6)	12.4%	6.2%	68.1%	0.0%	0.0%	13.3%
\$15,000 to \$19,999 (18)	1.7%	0.5%	1.2%	95.2%	0.0%	1.3%
\$20,000 to \$24,999 (24)	1.8%	14.5%	47.4%	17.2%	0.0%	19.2%
\$25,000 to \$34,999 (18)	1.1%	2.2%	64.1%	17.9%	0.0%	14.7%
\$35,000 to \$49,999 (26)	0.0%	6.1%	18.8%	42.3%	0.1%	32.7%
\$50,000 to \$74,999 (24)	0.2%	0.7%	8.1%	6.3%	1.3%	83.4%
\$75,000 or more (22)	5.2%	0.0%	27.6%	0.0%	0.0%	67.2%

Module 18.6: Cognitive Impairment

During the past 12 months, how often has confusion or memory loss interfered with your or this person's" ability to work, volunteer, or engage in social activities?

	Always	Usually	Sometimes	Rarely	Never
Overall (167)	2.7%	1.6%	11.2%	12.8%	71.7%
By sex					
Male (74)	2.2%	0.3%	3.3%	4.1%	90.2%
Female (93)	3.7%	4.3%	28.3%	31.5%	32.2%
By Race					
White (138)	4.7%	2.8%	17.3%	21.8%	53.4%
Other (12)	0.0%	0.0%	3.2%	0.9%	95.9%
By age					
18-34 years (14)	0.4%	0.0%	7.4%	3.6%	88.6%
35-54 years (32)	4.8%	0.4%	22.3%	24.1%	48.5%
55-64 years (32)	2.0%	0.1%	5.0%	30.0%	62.9%
65-74 years (45)	6.3%	10.3%	14.9%	25.6%	42.9%
75 or more years (38)	18.7%	12.7%	21.4%	13.7%	33.4%
By Education					
Less than College (79)	3.7%	2.7%	14.3%	10.4%	68.9%
Some College (40)	1.5%	1.4%	10.7%	4.0%	82.4%
College (48)	4.9%	0.1%	7.1%	47.3%	40.6%
By income levels					
<\$10,000 (9)	0.9%	3.8%	27.2%	4.5%	63.7%
\$10,000 to \$14,999 (6)	0.0%	0.0%	68.1%	0.0%	31.9%
\$15,000 to \$19,999 (18)	0.9%	0.0%	0.7%	1.8%	96.5%
\$20,000 to \$24,999 (24)	0.2%	0.0%	37.2%	24.1%	38.5%
\$25,000 to \$34,999 (18)	4.4%	0.0%	12.0%	7.1%	76.5%
\$35,000 to \$49,999 (26)	5.3%	9.1%	1.7%	26.7%	57.2%
\$50,000 to \$74,999 (24)	0.0%	0.0%	7.9%	71.0%	21.2%
\$75,000 or more (22)	8.8%	0.2%	17.1%	24.9%	49.1%

Module 18.7: Cognitive Impairment

During the past 30 days, how often [someone] provided any care or assistance for you or this person because of confusion or memory loss?

	Always	Usually	Sometimes	Rarely	Never
Overall (167)	6.0%	0.3%	2.1%	8.3%	83.3%
By sex					
Male (74)	4.0%	0.1%	1.6%	1.0%	93.3%
Female (93)	10.1%	0.9%	3.0%	23.9%	62.1%
By Race					
White (138)	8.9%	0.6%	2.8%	14.1%	73.6%
Other (12)	2.1%	0.0%	1.1%	0.5%	96.3%
By age					
18-34 years (14)	0.6%	0.0%	0.0%	10.1%	89.3%
35-54 years (32)	5.1%	0.9%	2.7%	3.2%	88.1%
55-64 years (32)	1.0%	1.0%	6.7%	10.9%	80.3%
65-74 years (45)	32.8%	0.3%	4.8%	2.2%	59.9%
75 or more years (38)	35.3%	0.0%	8.8%	13.4%	42.5%
By Education					
Less than College (79)	12.8%	0.7%	1.7%	4.0%	80.8%
Some College (40)	1.6%	0.0%	0.5%	11.6%	86.2%
College (48)	8.0%	0.9%	7.9%	5.0%	78.3%
By income levels					
<\$10,000 (9)	3.8%	0.2%	0.7%	27.2%	68.1%
\$10,000 to \$14,999 (6)	68.1%	0.0%	0.9%	5.3%	25.7%
\$15,000 to \$19,999 (18)	0.6%	0.4%	0.2%	0.0%	98.8%
\$20,000 to \$24,999 (24)	2.9%	1.8%	3.5%	36.0%	55.8%
\$25,000 to \$34,999 (18)	15.4%	0.0%	3.3%	0.5%	80.8%
\$35,000 to \$49,999 (26)	14.4%	0.0%	7.4%	10.0%	68.2%
\$50,000 to \$74,999 (24)	3.1%	0.4%	12.0%	0.4%	84.1%
\$75,000 or more (22)	0.2%	0.0%	0.2%	6.1%	93.6%

